

Test Report

Number: SHAH01126976

Applicant: ANHUI YAYALE CHILD PRODUCT CO.,LTD
LONGTAN NORTH ROAD, SHUCHENG
ECONOMIC & TECHNICAL DEVELOPING ZONE,
SHUCHENG, ANHUI CHINA
Attn: LIBINGUI

Date: 24 Sep, 2019

Sample Description:

One (1) piece of submitted sample said to be :
Item Name : Baby Stroller SL-461
Country Of Origin : China

Tests Conducted:

As requested by the applicant, for details refer to attached page(s).

Conclusion:

<u>Tested samples</u>	<u>Standard</u>	<u>Result</u>
Submitted sample	EN 1888-1: 2018-Child use and care articles - Wheeled child conveyances - Part 1: Pushchairs and prams (Partial test)	Pass
	EN 1888-2:2018-Child use and care articles - Wheeled child conveyances - Part 2: Pushchairs for children above 15 kg up to 22 kg	Pass

To be continued

Authorized By:
For Intertek Testing Services Ltd., Shanghai



Bill Zhang
General Manager



Test Report

Number: SHAH01126976

Tests Conducted

1. WHEELED CHILD CONVEYANCES-SAFETY REQUIREMENTS AND TEST METHODS

With reference to EN 1888-1: 2018-Child use and care articles - Wheeled child conveyances - Part 1: Pushchairs and prams, the submitted sample was subjected to the following tests:

Number of Sample Tested: One (1) Piece

Initial inspection: No any damage was found

Executive Summary:

Clause	Test items	Verdict
6	Chemical hazards	NR
7	Thermal hazards	NR
8	Mechanical hazards	P
8.1	Protective function	P
8.1.1	Suitability of vehicle	P
8.1.1.1.1	Vehicles intended for use from birth	P
8.1.1.1.2	Vehicles intended for use from 6 months of age	NA
8.1.1.1.3	Seat units	P
8.1.2	Minimum internal height of pram body	NA
8.1.3	Restraint system and fasteners	P
8.1.3.1.1	Restraint system of seat unit	P
8.1.3.1.2	Harness anchorage points	NA
8.2	Entrapment hazards	P
8.2.1	Holes and openings	P
8.2.2	Entrapment between the handle and the pram body	NA
8.3	Hazards from moving parts	P
8.3.1	General	P
8.3.2	Shearing hazards	P
8.3.3	Crushing hazards	P
8.3.4	Wheels	P
8.3.5	Locking mechanism(s)	P
8.3.5.1	Folding system for storage or transportation	P
8.3.5.1.1.1	General requirements	P
8.3.5.1.1.2	Incomplete deployment	P
8.3.5.1.1.3	Unintentional release of locking mechanism(s)	P
8.3.5.2	Pushchairs with rotating seat units	NA
8.3.5.3	Handle movement	NA
8.3.5.3.1	Requirements for reversible handles	NA
8.3.5.3.2	Requirements for telescopic handles	NA
8.3.5.4	Requirements for the attachment of pram body and seat unit and car seats to the chassis	NA
8.4	Entanglement hazards	NA
8.5	Choking and ingestion hazards	P
8.6	Suffocation hazards	P
8.6.1	Internal lining of the pram body and seat unit	P
8.6.2	Plastic packaging	P
8.7	Hazardous edges and protrusions	P
8.8	Parking and braking devices	P
8.9	Stability	P
8.9.1	Stability of vehicle	P
8.9.2	Longitudinal stability of a pram body with carrying handles	NA
8.9.3	Stability hazards due to the position of swivelling wheels	P
8.10	Structural integrity	P
8.10.1	Carrying handles and handle anchorage points of pram bodies and detachable seat units	NA

Test Report

Number: SHAH01126976

Tests Conducted

Clause	Test items	Verdict
8.10.2	Strength and durability of attachment devices for pram bodies or seat units or car seats	NA
8.10.3	Irregular surface test	P
8.10.4	Dynamic strength	P
8.10.5	Wheel strength	P
8.10.6	Handle strength	P
9	Durability of marking	P
10	Product information	P(See Remark #1)
10.1	General	P
10.2	Marking of product	P
10.3	Purchase information	P
10.4	Instructions for use	P

Abbreviation: **P** = Pass; **F** = Fail; **NA** = Not Applicable; **NC** = Not Conduct; **NR** = Not Requested

Remark:

#1: The evaluation or testing related to packaging, instruction or labeling is based on the artwork submitted by the applicant rather than on the actual sample of packaging, instruction or labeling.

Part of the evaluation or testing need to perform the actual sample and was not conducted, those include:

a. letter height

2. WHEELED CHILD CONVEYANCES-SAFETY REQUIREMENTS AND TEST METHODS

With reference to EN 1888-2:2018-Child use and care articles - Wheeled child conveyances - Part 2: Pushchairs for children above 15 kg up to 22 kg, the submitted sample was subjected to the following tests:

Number of Sample Tested: One (1) Piece

Initial inspection: No any damage was found

Executive Summary:

Clause	Test items	Verdict
6	Mechanical hazards	P
6.1	Restraint system	P
6.1.1	Additional dimensional requirement	P
6.1.2	Test method	-
6.1.3	Attachment of the restraint system to seat unit	P
6.1.4	Strength of fasteners	P
6.2	Parking and braking devices	P
6.3	Stability	P
6.4	Structural integrity	P
6.4.1	Strength and durability of attachment devices for seat units	NA
6.4.2	Irregular surface test	P
6.4.3	Dynamic strength	P
6.4.4	Handle strength	P
7	Product information	P(See Remark #1)
7.1	Marking of product	P
7.2	Purchase information	P
7.3	Instructions for use	P

Abbreviation: **P** = Pass; **F** = Fail; **NA** = Not Applicable; **NC** = Not Conduct; **NR** = Not Requested

Test Report

Number: SHAH01126976

Tests Conducted



Picture 1: Sample as received

Date Sample Received: Aug.2,2019 & Aug.26,2019 & Sep.12,2019 & Sep.20,2019

Testing Period: Aug.2,2019 to Sep.21,2019

End Of Report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.

This report shall not be reproduced except in full, without written approval of the laboratory.

This statement of conformity is only based on the actual measured test result by the laboratory, without taking the influence of uncertainty into account.